

# **STUDIES THAT INDICATE ADVERSE EFFECTS OF GM CROPS ON NUMEROUS FRONTS**

## **CONTENTS**

<b>IMPRECISION &amp; UNPREDICTABILITY OF GENETIC ENGINEERING.....</b>	<b>2</b>
<b>HEALTH IMPACTS</b>	
<b>BT TOXIN.....</b>	<b>4</b>
<b>GLYPHOSATE &amp; OTHER HERBICIDES.....</b>	<b>4</b>
<b>GM CROPS &amp; HEALTH.....</b>	<b>7</b>
<b>CHANGES IN NUTRITIONAL COMPOSITION.....</b>	<b>9</b>
<b>ENVIRONMENTAL IMPACTS (GENERAL).....</b>	<b>10</b>
<b>YIELD MYTHS.....</b>	<b>14</b>
<b>SUPER WEEDS.....</b>	<b>15</b>
<b>AGRI-CHEMICAL USE.....</b>	<b>17</b>
<b>PEST DYNAMICS INCL. RESISTANCE.....</b>	<b>18</b>
<b>BIODIVERSITY.....</b>	<b>21</b>
<b>SOIL HEALTH.....</b>	<b>22</b>
<b>GENE FLOW / CONTAMINATION / FIELD TRIALS' RISK.....</b>	<b>25</b>
<b>HORIZONTAL GENE TRANSFER.....</b>	<b>27</b>
<b>OTHER RELATED PAPERS (Ethics, De-skilling of farmers etc.).....</b>	<b>29</b>
<b>SOME UNPUBLISHED BUT IMPORTANT PAPERS.....</b>	<b>30</b>

## **IMPRECISION & UNPREDICTABILITY OF THE S&T OF GENETIC ENGINEERING**

1. Rawat Preeti, Amarjeet Kumar, Krishna Ray, Bhupendra Chaudhary, Sanjeev Kumar, Taru Gautam, Shaveta Kanoria, Gurnpreet Kaur, Paritosh Kumar, Deepak Pental and Pradeep Kumar Burma (2011): Detrimental effect of expression of Bt endotoxin Cry1Ac on in vitro regeneration, in vivo growth and development of tobacco and cotton transgenics. *Journal of Biosciences* 36(2), June 2011, 363–376.
2. Jiao, Z., Si, X.X., Li, G.K., Zhang, Z.M., Xu, X.P. (2010): Unintended compositional changes in transgenic rice seeds (*Oryza sativa L.*) studied by spectral and chromatographic analysis coupled with chemometrics methods. *J. Agric. Food Chem.* 58, 1746–1754.
3. Zeller SL, Kalinina O, Brunner S, Keller B and Schmid B (2010): Transgene X environment interactions in genetically modified wheat. *PLoS One*. Jul 12; 5(7): e11405
4. Zolla, L., Rinalducci, S., Antonioli, P., Righetti, P.G. (2008): Proteomics as a complementary tool for identifying unintended side effects occurring in transgenic maize seeds as a result of genetic modifications. *Journal of Proteome Research* 7, 1850–1861.
5. Rosati A, Bogani P, Santarasci A and Bulatti M (2008): Characterisation of 3' transgene insertion site and derived mRNAs in MON810 YieldGard maize. *Plant Mol Biol.* 67 (3): 271-81.
6. Aguilera M, Querci M, Balla B, Prospero A, Ermolli M, Van den Eede G (2008): A Qualitative Approach for the Assessment of the Genetic Stability of the MON 810 Trait in Commercial Seed Maize Varieties. *Food Anal. Methods* (2008) 1:252–258
7. Dong HZ and Li WJ (2007): Variability of endotoxin expression in Bt transgenic cotton. *J. Agron. Crop Sci.* 193 (1), 21–29.
8. Manetti C, Bianchetti C, Casciani L, Castro C, Di Cocco ME, Miccheli A, Motto M, Conti F (2006): A metabonomic study of transgenic maize (*Zea mays*) seeds revealed variations in osmolytes and branched amino acids. *J Exp Bot* 57 (11):2613-2625
9. Wilson, A.K., Latham, J.R., Steinbrecher, R.A. (2006): Transformation-induced mutations in transgenic plants: Analysis and biosafety implications. *Biotechnology and Genetic Engineering Reviews* 23, 209–234.
10. Latham, J.R. Wilson, A.K., Steinbrecher, R.A. (2006): The mutational consequences of plant transformation. *J. of Biomedicine and Biotechnology* 2006, 1–7.
11. Prescott, V.E., Campbell, P.M., Moore, A., Mattes, J., Rothenberg, M.E., Foster, P.S., Higgins, T.J., Hogan, S.P. (2005): Transgenic expression of bean  $\alpha$ -amylase inhibitor

- in peas results in altered structure and immunogenicity. *Journal of Agricultural and Food Chemistry* 53, 9023–9030.
12. Rang, A., Linke, B., Jansen, B. (2005): Detection of RNA variants transcribed from the transgene in Roundup Ready soybean. *Eur Food Res Technol* 220, 438–43.
  13. Windels, P., Taverniers, I., Depicker, A., Van Bockstaele, E., De Loose, M. (2001): Characterisation of the Roundup Ready soybean insert. *Eur Food Res Technol* 213, 107–112.
  14. Horvath H, Jensen L G, Wong O T, Kohl E, Ullrich S E, Cochran J, Kannangara C G, von Wettstein D (2001): Stability of transgene expression, field performance and recombination breeding of transformed barley lines, *Theoretical and Applied Genetics*, Vol 102 (1), 1-11.
  15. Tax FE, Vernon D M (2001): T-DNA-associated duplication/translocations in *Arabidopsis*. Implications for mutant analysis and functional genomics. *Plant Physiol.* 2001 Aug 126 (4): 1527-38.
  16. Svitashov S, Ananiev E, Pawlowski W P, Somers D A (2000): Association of transgene integration sites with chromosome rearrangements in hexaploid oat. *Theor Appl Genet* 100, 872-880.
  17. Kumpatla S P, Chandrasekharan MB, Iyer ML, Li G, Hall TC (1998): Genome intruder scanning and modulation systems and transgene silencing. *Trends in Plant Science*, Vol 3, Issue 3, March 1998. 97-104.
  18. Pawlowski WP, Somers DA (1996): Transgene inheritance in plants genetically engineered by microprojectile bombardment. *Mol Biotechnol.* 6 (1): 17-30.
  19. Srivastava V, Anderson OD and David W. ow (1996): Single copy transgenic wheat generated through the resolution of complex integration patterns. *PNAS*, 96: 1117-21
  20. Inose T and Murata K (1995): Enhanced accumulation of toxic compound in yeast cells having high glycolytic activity – a case study on the safety of genetically engineered yeast. *Int Journal of Food Sci. and Tech.* Vol. 30, 141-146.
  21. Dougherty W G and Parks T D (1995): Transgenes and gene suppression: telling us something new?. *Curr Opin Cell Biol.* Vol. 7(3): 399-405.

## **HEALTH IMPACTS**

### **Bt toxin:**

1. Vázquez-Padrón R.I., L. Moreno-Fierros, L. Neri-Bazán, A.F. Martínez-Gil, G.A. de-la-Riva and R. López-Revilla (2000). Characterization of the mucosal and systemic immune response induced by Cry1Ac protein from *Bacillus thuringiensis* HD 73 in mice. *Brazilian Journal of Medical and Biological Research*, 33, 147-155.
2. Vázquez-Padrón, González-Cabrera, J., García-Tovar, C., Neri-Bazán, L., López-Revilla, R., Hernández, M., Moreno-Fierro, L. and de la Riva, G. A. (2000). Cry1Ac protoxin from *Bacillus thuringiensis* sp. kurstaki HD73 binds to surface proteins in the mouse small intestine. *Biochem. Biophys. Res. Comm.* 271, 54–58.
3. Vazquez et al (1999): Intra-gastric and intra-peritoneal administration of Cry1Ac protoxin from *Bacillus thuringiensis* induces systemic and mucosal antibody responses in mice. *Life Sciences*, 64 (21): 1897-1912.
4. Vasquez et al (1999): *Bacillus thuringiensis* Cry1Ac protoxin is a potent systemic and mucosal adjuvant. *Scandinavian Journal of Immunology*: 578-84.
5. Swadener C. (1994): *Bacillus thuringiensis*, Insecticide Fact Sheet, Journal of Pesticide reform, Fall 1994, Vol 14, No 3.

### **Glyphosate & Other Herbicides:**

1. Glyphosate Fact Sheet (1996), Pesticides News No.33, September 1996, p28-29 (<http://www.pan-uk.org/pestnews/Actives/glyphosa.htm>)
2. Hokanson R, Fudge R, Chowdhary R, Busbee D. (2007), Alteration of estrogen-regulated gene expression in human cells induced by the agricultural and horticultural herbicide glyphosate. *Hum Exp Toxicol.* 2007 Sep; 26 (9): 747-52.
3. Andre Leu, 'Glyphosate: A review of its health and environmental effects', in turn based on Caroline Cox, "Glyphosate Fact Sheet", Journal of Pesticide Reform, Vol.18, No. 3, Fall 1998, <http://www.ofa.org.au/papers/glyphosatereview.htm>
4. Benachour, N., Séralini, G-E. (2009): Glyphosate formulations induce apoptosis and necrosis in human umbilical, embryonic, and placental cells. *Chem. Res. Toxicol.* 22, 97–105.
5. Gasnier, C., Dumont, C., Benachour, N., Clair, E., Chagnon, M.C., Séralini, G-E. (2009): Glyphosate-based herbicides are toxic and endocrine disruptors in human cell lines. *Toxicology* 262, 184–191.
6. Richard, S., Moslemi, S., Sipahutar, H., Benachour, N., Séralini, G-E. (2005): Differential effects of glyphosate and Roundup on human placental cells and

aromatase. Environ Health Perspect 113 (6), 716–20.

7. Benachour, N., Sipahutar, H., Moslemi, S., Gasnier, C., Travert, C., Séralini, G-E. (2007): Time- and dose-dependent effects of Roundup on human embryonic and placental cells. Archives of Environmental Contamination and Toxicology 53, 126–33.
8. Haefs, R., Schmitz-Eiberger, M., Mainx, H.G., Mittelstaedt, W., Noga, G. (2002): Studies on a new group of biodegradable surfactants for glyphosate. Pest Manag. Sci. 58, 825–833.
9. Marc, J., Mulner-Lorillon, O., Boulben, S., Hureau, D., Durand, G., Bellé, R. (2002): Pesticide Roundup provokes cell division dysfunction at the level of CDK1/ cyclin B activation. Chem Res Toxicol. 15, 326–31.
10. Marc, J., Mulner-Lorillon, O., Bellé, R. (2004): Glyphosate-based pesticides affect cell cycle regulation. Biology of the Cell, 96: 245–249.
11. Bellé, R., Le Bouffant, R., Morales, J., Cosson, B., Cormier, P., Mulner-Lorillon, O. (2007): Sea urchin embryo, DNA-damaged cell cycle checkpoint and the mechanisms initiating cancer development. J. Soc. Biol. 201, 317–327.
12. Marc, J., Bellé, R., Morales, J., Cormier, P., Mulner-Lorillon, O. (2004): Formulated glyphosate activates the DNA-response checkpoint of the cell cycle leading to the prevention of G2/M transition. Toxicological Sciences 82, 436–442.
13. Mañas, F., Peralta, L., Raviolo, J., Garci, O.H., Weyers, A., Ugnia, L., Gonzalez, C.M., Larripa, I., Gorla, N. (2009): Genotoxicity of AMPA, the environmental metabolite of glyphosate, assessed by the Comet assay and cytogenetic tests. Ecotoxicology and Environmental Safety 72, 834–837.
14. Soso, A.B., Barcellos, L.J.G., Ranzani-Paiva, M.J., Kreutz, L.K., Quevedo, R.M., Anziliero, D. Lima, M., Silva, L.B., Ritter, F., Bedin, A.C., Finco, J.A. (2007): Chronic exposure to sub-lethal concentration of a glyphosate-based herbicide alters hormone profiles and affects reproduction of female Jundiá (*Rhamdia quelen*). Environmental Toxicology and Pharmacology 23, 308–313.
15. Malatesta, M., Perdoni, F., Santin, G., Battistelli, S., Muller, S., Biggiogerra, M. (2008): Hepatoma tissue culture (HTC) cells as a model for investigating the effects of low concentrations of herbicide on cell structure and function. Toxicol. in Vitro 22, 1853–1860.
16. Hietanen, E., Linnainmaa, K., Vainio, H. (1983): Effects of phenoxy herbicides and glyphosate on the hepatic and intestinal biotransformation activities in the rat. Acta Pharma et Toxicol 53, 103–112.
17. Dallegrave, E., Mantese, F.D., Coelho, R.S., Pereira, J.D., Dalsenter, P.R., Langeloh, A. (1993): The teratogenic potential of the herbicide glyphosate-Roundup in Wistar rats. Toxicol. Lett. 142, 45-52.

18. Paganelli, A., Gnazzo, V., Acosta, H., López, S.L., Carrasco, A.E. (2010): Glyphosate-based herbicides produce teratogenic effects on vertebrates by impairing retinoic acid signalling. *Chem. Res. Toxicol.*, August 9.  
<http://pubs.acs.org/doi/abs/10.1021/tx1001749>
19. Benitez-Leite, S., Macchi, M.A., Acosta, M. (2009): Malformaciones congénitas asociadas a agrotóxicos. *Arch. Pediatr. Drug* 80, 237–247.
20. Poulsen, M.S., Rytting, E., Mose, T., Knudsen, L.E. (2000): Modeling placental transport: correlation of in vitro BeWo cell permeability and ex vivo human placental perfusion. *Toxicol. in Vitro* 23, 1380–1386.
21. Paz-y-Miño, C., Sánchez, M.E., Arévalo, M., Muñoz, M.J., Witte, T., De-la- Carrera, G.O., Leone, P. E. (2007): Evaluation of DNA damage in an Ecuadorian population exposed to glyphosate. *Genetics and Molecular Biology* 30, 456-460.
22. Fog, L. (2007): Aerial spraying of herbicide “damages DNA”. SciDev.net, May 17, 2007. <http://www.scidev.net/en/news/aerial-spraying-of-herbicide-damages-dna.html>
23. Savitz, D.A., Arbuckle, T., Kaczor, D., Curtis, K.M. (1997): Male pesticide exposure and pregnancy outcome. *Am. J. Epidemiol.* 146, 1025–1036.
24. De Roos, A.J., Blair, A., Rusiecki, J.A., Hoppin, J.A., Svec, M., Dosemeci, M., Sandler, D.P., Alavanja, M.C. (2005): Cancer incidence among glyphosate-exposed pesticide applicators in the Agricultural Health Study. *Environ Health Perspect.* 113, 49–54.
25. Hardell, L., Eriksson, M. A. (1999): Case-control study of non-Hodgkin lymphoma and exposure to pesticides. *Cancer* 85, 1353–60.
26. Hardell, L., Eriksson, M., Nordstrom, M. (2002) Exposure to pesticides as risk factor for non-Hodgkin's lymphoma and hairy cell leukemia: Pooled analysis of two Swedish case-control studies. *Leuk Lymphoma* 43, 1043-9.
27. Eriksson, M., Hardell, L., Carlberg, M., Akerman, M. (2008): Pesticide exposure as risk factor for non-Hodgkin lymphoma including histopathological subgroup analysis. *International Journal of Cancer* 123, 1657–1663.
28. George, J., Prasad, S., Mahmood, Z., Shukla, Y. (2010): Studies on glyphosate-induced carcinogenicity in mouse skin. A proteomic approach. *J. of Proteomics* 73, 951–964.
29. Watanabe, T., Iwase, T. (1996) Development and dymorphogenic effects of glufosinate ammonium on mouse embryos in culture. *Teratogenesis, carcinogenesis and mutagenesis* 16, 287-299.

## **GM CROPS & HEALTH IMPACTS:**

1. Aris A and Leblanc S. (2011): Maternal and fetal exposure to pesticides associated to genetically modified foods in Eastern Townships of Quebec, Canada. *Reprod Toxicol*, doi:10.1016/j.reprotox.2011.02.004
2. Pusztai A and Bardocz S (2011): Potential health effects of foods derived from genetically modified plants: What are the issues?, *TWN Biotechnology & Biosafety Series* 14.
3. Paganelli A, Gnazzo V, Acosta H, López S.L, Carrasco A.E. (2010), Glyphosate-based herbicides produce teratogenic effects on vertebrates by impairing retinoic acid signalling. *Chem. Res. Toxicol.*, August 9; <http://pubs.acs.org/doi/abs/10.1021/tx1001749>
4. Tudisco R., Mastellone V., Cutrignelli M.I, Lombardi P, Bovera F., Mirabella N., Piccolo G., Calabro S., Avallone L., Infascelli F. (2010): Fate of transgenic DNA and evaluation of metabolic effects in goats fed genetically modified soybean and in their offsprings. *Animal. The Animal Consortium*: 1-10
5. Benachour N and Séralini G-E (2009), Glyphosate Formulations Induce Apoptosis and Necrosis in Human Umbilical, Embryonic, and Placental Cells, *Chemical Research in Toxicology*, Vol 22, No1, pp 97-105
6. de Vendômois, J. S, F. Roullier, D. Cellier, Gilles-Eric Séralini (2009): A Comparison of the Effects of Three GM Corn Varieties on Mammalian Health. *Int. Journal of Biological Sciences* 5: 706-726. <http://www.biolsci.org/v05p0706.htm>
7. Kilic, A., Akay, M.T. (2008): A three-generation study with genetically modified Bt corn in rats: Biochemical and histopathological investigation. *Food and Chemical Toxicology* 46, 1164–1170.
8. Finamore, A., Roselli, M., Britti, S., Monastra, G., Ambra, R., Turrini, A., Mengheri, E. (2008): Intestinal and peripheral immune response to MON810 maize ingestion in weaning and old mice. *J. Agric. Food Chem.* 56, 11533–11539.
9. Velimirov, A., Binter, C., Zentek, J. (2008): Biological effects of transgenic maize NK603 x MON810 fed in long term reproduction studies in mice. *Bundesministerium für Gesundheit, Familie und Jugend Report, Forschungsberichte der Sektion IV Band 3/2008, Austria.*
10. Malatesta M., Boraldi F., Annovi G., Baldelli B., Battistelli S., Biggiogera M., Quaglino D. (2008): A long-term study on female mice fed on a genetically modified soybean: effects on liver ageing. *Histochem Cell Biol.* 130, 967-77.
11. Trabalza Marinucci et al (2008): A three-year longitudinal study on the effects of a diet containing genetically modified Bt176 maize on the health status and performance of sheep. *Livestock Science*, 113: 178-190.

12. Séralini, G.-E., Cellier, D., de Vendomois, J.S. (2007): New analysis of a rat feeding study with a genetically modified maize reveals signs of hepatorenal toxicity. *Arch. Environ Contam Toxicol.* 52, 596–602.
13. Sharma R, Damgaard D, Alexander T W, Dugan M E R, Aalhus J L, Stanford K and McAllister T A (2006): Detection of transgenic and endogenous plant DNA in digesta and tissues of sheep and pigs fed Roundup Ready Canola meal. *J. Agric. Food Chem.* 54 (5): 1699-1709.
14. Oliveri et al (2006): Temporary depression of transcription in mouse pre-implantation embryos from mice fed on genetically modified soybean. 48<sup>th</sup> Symposium of the Society for Histochemistry. Lake Maggiore (Italy), Sept. 7-10.
15. Agodi A, Barchitta M, Grillo A and Sciacca S (2006): Detection of genetically modified DNA sequences in milk from the Italian market. *Int J Hyg Environ Health* 209: 81-88.
16. Tudisco, R. Lombardi, P. Bovera, F. d'Angelo, D. Cutrignelli, M. I. Mastellone, V., Terzi, V. Avallone, L., Infascelli, F. (2006): Genetically modified soya bean in rabbit feeding: Detection of DNA fragments and evaluation of metabolic effects by enzymatic analysis. *Animal Science* 82, 193–199.
17. Prescott, V.E., Campbell, P.M., Moore, A., Mattes, J., Rothenberg, M.E., Foster, P.S., Higgins, T.J., Hogan, S.P. (2005): Transgenic expression of bean  $\alpha$ -amylase inhibitor in peas results in altered structure and immunogenicity. *Journal of Agricultural and Food Chemistry* 53, 9023–9030.
18. Rang A., Linke B. and Jansen, B. (2005) Detection of RNA variants transcribed from the transgene in Roundup Ready soybean. *Eur Food Res Technol* 220, 438–43.
19. Mazza R, Soave M, Morlacchini M, Piya G and Marocco A. (2005): Assessing the transfer of genetically modified DNA from feed to animal tissues. *Transgenic Res.* 14 (5): 775-84.
20. Netherwood T., Martín-Orúe S.M., O'Donnell A.G., Gockling S., Graham J., Mathers J.C., Gilbert H.J. (2004) Assessing the survival of transgenic plant DNA in the human gastro-intestinal tract. *Nature Biotechnology* 22, 204–209
21. Heritage, John (2004): The fate of transgenes in the human gut. *Heritage J. Nat Biotech.*, 22: 170-172
22. Vecchio, L., Cisterna, B., Malatesta, M., Martin, T.E., Biggiogera, M. (2004): Ultra-structural analysis of testes from mice fed on genetically modified soybean. *Eur J. Histochem.* 48, 448–454.
23. Müller, W. (2004): Recherche und Analyse bezüglich humantoxikologischer Risiken von gentechnisch veränderten Soja- und Maispflanzen. Eco-risk (Buro fur Ökologische Risikoforschung), Vienna, April 10

24. Malatesta M., Biggiogera M., Manuali E., Rocchi M.B., Baldelli B., Gazzanelli G. (2003). Fine structural analysis of pancreatic acinar cell nuclei from mice fed on GM soybean. *Eur J Histochem.* 47, 385–8.
25. Pryme IF, Lembcke R (2003): In vivo studies on possible health consequences of genetically modified food and feed – with particular regard to ingredients consisting of genetically modified plant materials. *Nutr Health* 17: 1-8.
26. Martín-Orúe S.M., O'Donnell A.G., Ariño J., Netherwood T., Gilbert H.J., Mathers J.C. (2002): Degradation of transgenic DNA from genetically modified soy and maize in human intestinal simulations. *British Journal of Nutrition* 87, 533–542.
27. Schubert, D. (2002): A different perspective on GM food. *Nature Biotechnology* 20, 969.
28. Malatesta M., Caporaloni C., Gavaudan S., Rocchi M.B., Serafini S., Tiberi C., Gazzanelli G. (2002): Ultrastructural morphometrical and immunocytochemical analyses of hepatocyte nuclei from mice fed on genetically modified soybean. *Cell Struct Funct.* 27, 173–180.
29. Ewen SW, Pusztai A (1999): Effect of diets containing genetically modified potatoes expressing Galanthus nivalis lectin on rat small intestine. *Lancet* 354: 1353-4
30. Schubbert R, Hohlweg U, Renz D and Doerfler W (1998): On the fate of orally ingested foreign DNA in mice: chromosomal association and placental transmission to the fetus. *Molecular Genomics and Genetics*, 259 (6): 569-76.
31. Fares N H, El-Sayed A K (1998): Fine structural changes in the ileum of mice fed on endotoxin treated potatoes and transgenic potatoes. *Natural Toxins* 6 (6): 219-33.
32. Nordlee J A, Taylor S L, Townsend JA, Thomas LA, Bush RK (1996): Identification of a Brazil-Nut allergen in transgenic soybeans, *N Engl J Med* 1996, 334: 668-92.

## **CHANGES IN NUTRITIONAL COMPOSITION**

1. Zobiole L.H.S., Oliveira R.S., Visentainer J.V., Kremer R.J., Bellaloui N., Yamada T. (2010): Glyphosate affects seed composition in glyphosate-resistant soybean. *J. Agric. Food Chem.* 58 (7), 4517–4522.
2. Lappe M.A., Bailey E.B., Childress C., Setchell K.D.R. (1999): Alterations in clinically important phytoestrogens in genetically modified, herbicide-tolerant soybeans. *J Med Food*, 1, 241–245.
3. Shewmaker CK, Sheehy JA, Daley M, Colburn S and Ke DY (1999): Seed-specific over-expression of phytoene synthase: increase in carotenoids and other metabolic effects. *Plant J.* 20 (4): 401-412X.

## **ENVIRONMENTAL IMPACTS**

1. Preeti Rawat, Amarjeet Kumar, Krishna Ray, Bhupendra Chaudhary, Sanjeev Kumar, Taru Gautam, Shaveta Kanoria, Gurpreet Kaur, Paritosh Kumar, Deepak Pental and Pradeep Kumar Burma (2011): Detrimental effect of expression of Bt endotoxin Cry1Ac on in vitro regeneration, in vivo growth and development of tobacco and cotton transgenics. *Journal of Biosciences* 36(2): 363–376.
2. Kelly D W, Poulin P, Tompkins D M and Townsend C R. (2010): Synergistic effects of glyphosate formulation and parasite infection on fish malformations and survival. *J. Appl. Ecology* 47, 498–504.
3. Douville M, Gagne F, André C and Blaise C. (2009): Occurrence of the transgenic corn cry1Ab gene in freshwater mussels (*Elliptio complanata*) near cornfields: evidence of exposure by bacterial ingestion. *Ecotoxicology and Environmental Safety* 72: 17–25.
4. Ramirez-Romero R., Desneux N., Decourtye A. Chaffiol A. and Pham-Delègue M.H. (2008): Does Cry1Ab protein affect learning performances of the honey bee *Apis mellifera* L. (Hymenoptera, Apidae)? *Ecotoxicology and Environ. Safety* 70 (3): 327–333.
5. Bøhn, T., Primicerio, R., Hessen, D.O. & Traavik, T. (2008): Reduced fitness of *Daphnia magna* fed a Bt-transgenic maize variety. *Archives of Environmental Contamination and Toxicology* DOI 10.1007/s00244-008-9150-5
6. University of Minnesota (2008): Extension document 'Bt Corn and European Corn Borer', <http://www.extension.umn.edu/distribution/cropsystems/dc7055.html#ch11>
7. Prasifka, P.L., Hellmich, R.L., Prasifka, J.R. & Lewis, L.C. (2007): Effects of Cry1Ab expressing corn anthers on the movement of monarch butterfly larvae. *Environmental Entomology* 36:228-33
8. Marvier M, McCredie C, Regetz J and Kareiva P (2007): A meta-analysis of effects of Bt cotton and maize on non-target invertebrates. *Science*. Vol. 316 (5830): 1475-1477.
9. Rosi-Marshall E J, Tank J L, Royer T V, Whiles M R, Evans-White M, Chambers C, Griffiths N A, Pokelsek J and Stephen M L (2007): Toxins in transgenic crop byproducts may affect headwater stream ecosystems. *Proceedings of the National Academy of Sciences of United States of America*, 104(4): 16204-16208.
10. Douville M, Gagne F, Blaise C. & André C. (2007): Occurrence and persistence of *Bacillus thuringiensis* (Bt) and transgenic Bt corn cry1Ab gene from an aquatic environment. *Eco-toxicology and Environmental Safety* 66 (2): 195–203.
11. Obrist L.B., Dutton A., Romeis J. & Bigler F. (2006): Biological activity of Cry1Ab toxin expressed by Bt maize following ingestion by herbivorous arthropods and

- exposure of the predator Chrysoperla carnea. *BioControl* 51: 31-48.
12. Hilbeck A. & Schmidt J.E.U. (2006): Another view on Bt proteins – how specific are they and what else might they do? *Biopesticides International*. 2: 1-50.
  13. Andow, D.A. & Zwahlen, C. (2006): Assessing environmental risks of transgenic plants. *Ecology Letters* 9: 196-214.
  14. Dolezel, M., Heissenberger, A. & Gaugitsch, H. (2006): Ecological effects of genetically modified maize with insect resistance and/or herbicide tolerance. Bundesministerium für Gesundheit und Frauen, Sektion IV Radetzkystraße 2, 1031 Wien.<http://www.bmwf.gv.at/cms/site/detail.htm?thema=CH0255&doc=CMS1134457515326>
  15. Snow AA, Andow D A, Gepts P, Hallerman E M, Power A, Tiedje J M and Wolfenbarger LL (2005): Genetically engineered organisms and the environment: Current status and recommendations. *Ecological Applications* 15 (2): 377-404.
  16. Clark B.W, Phillips T.A. & Coats J.R. (2005): Environmental fate and effects of *Bacillus thuringiensis* (Bt) proteins from transgenic crops: a review. *Journal of Agricultural and Food Chemistry* 53: 4643-4653.
  17. Harwood J.D, Wallin W.G. & Obrycki J.J. (2005): Uptake of Bt endotoxins by non-target herbivores and higher order arthropod predators: molecular evidence from a transgenic corn agroecosystem. *Molecular Ecology* 14: 2815-2823.
  18. Poerschmann J, Gathmann A, Augustin J, Langer U and Górecki T. (2005): Molecular composition of leaves and stems of genetically modified Bt and near-isogenic non-Bt maize – Characterization of lignin patterns. *Journal of Environmental Quality* 34: 1508-1518.
  19. Relyea R.A., Schoeppner N. M., Hoverman J.T. (2005): Pesticides and amphibians: the importance of community context. *Ecological Applications* 15: 1125–1134.
  20. Relyea, R.A. (2005): The impact of insecticides and herbicides on the biodiversity and productivity of aquatic communities. *Ecol. Appl.* 15, 618–627.
  21. Huber D.M., Cheng M.W. and Winsor B.A. (2005): Association of severe Corynespora root rot of soybean with glyphosate-killed giant ragweed. *Phytopathology* 95, S45.
  22. Andow, D.A. & Hilbeck, A. (2004): Science-based risk assessment for non-target effects of transgenic crops. *Bioscience*, 54: 637-649.
  23. Dively G.P., Rose R., Sears M.K., Hellmich R.L., Stanley-Horn D.E., Calvin D.D. Russo J.M. & P.L. Anderson. (2004): Effects on monarch butterfly larvae (Lepidoptera: Danaidae) after continuous exposure to Cry1Ab expressing corn during anthesis. *Environmental Entomology* 33: 1116-1125.

24. Thomas, J.A., M.G. Telfer, D.B. Roy, C.D. Preston, J.J.D. Greenwood, J. Asher, R. Fox, R.T. Clarke and J.H. Lawton. (2004): Comparative losses of British butterflies, birds and plants and the global extinction crisis. *Science* 303: 1879-1881.
25. Brodsgaard H F, Brodsgaard C J, Hansen H & Lovei G L (2003): Environmental risk assessment of transgene products using honey bee (*Apis mellifera*) larvae. *Apidologie* 34: 139–145.
26. Marvier M. (2002): Improving risk assessment for non-target safety of transgenic crops. *Ecological Applications* 12: 1119-1124.
27. Wang Z-H, Shu Q-Y, Cui H-R, Xu M-K, Xie X-B & Y-W Xia (2002): The effect of *Bt* transgenic rice flour on the development of silkworm larvae and the sub-micro-structure of its midgut. *Scientia Agricultura Sinica* 35: 714-718.
28. Saxena D and Stotzky G. (2001): Bt corn has a higher lignin content than non-Bt corn. *American Journal of Botany* 88: 1704-1706.
29. Stanley-Horn D.E, Dively GP, Hellmich RL, Mattila HR, Sears MK, Rose R, Jesse LC, Losey JE, Obrycki JJ and Lewis L (2001): Assessing the impact of Cry1Ab-expressing corn pollen on monarch butterfly larvae in field studies. *Proceedings of the National Academy of Sciences* 98 (21): 11931-11936.
30. Zangerl A R, McKenna D, Wraight C L, Carroll M, Ficarelli P, Warner R and M R Berenbaum (2001): Effects of exposure to event 176 *Bacillus thuringiensis* corn pollen on monarch and black swallowtail caterpillars under field conditions. *Proc. National Academy of Science USA* 98: 11908-11912.
31. Hansen Jesse L and Obrycki JJ (2000): Field deposition of Bt transgenic corn pollen-lethal effects on the monarch butterfly. *Oecologia*. Vol. 125 (2): 241-8.
32. Newmaster S G, Bell F W and Vitt D H. (1999): The effects of glyphosate and triclopyr on common bryophytes and lichens in northwestern Ontario. *Can. Jour. Forest Research* 29, 1101–1111.
33. Losey J.E., Rayor LS and Carter ME (1999): Transgenic pollen harms monarch larvae. *Nature* 399: 214.
34. Hilbeck A., Baumgartner M, Fried PM and Bigler F (1998): Effects of transgenic *Bacillus thuringiensis* corn-fed prey on mortality and development time of immature *Chrysoperla carnea*. *Environmental Entomology* 276: 480-487.
35. Schuette J. (1998): Environmental fate of glyphosate. *Environmental Monitoring & Pest Management*, Dept of Pesticide Regulation, Sacramento, CA.  
<http://www.cdpr.ca.gov/docs/empm/pubs/fatememo/glyphos.pdf>
36. Tate T M, Spurlock J O and Christian F A. (1997): Effect of glyphosate on the

- development of *Pseudosuccinea columella* snails. Arch. Environ. Contam. Toxicol. 33, 286–289.
37. Cessna A J and Cain N P. (1992): Residues of glyphosate and its metabolite AMPA in strawberry fruit following spot and wiper applications. Can. J. Plant Sci. 72, 1359–1365.
38. Springett J A and Gray R A J. (1992): Effect of repeated low doses of biocides on the earthworm *Aporrectodea caliginosa* in laboratory culture. Soil Biol. Biochem. 24, 1739–1744.
39. Santillo D J, Brown P W and Leslie D M. (1989): Response of songbirds to glyphosate induced habitat changes on clearcuts. J. Wildlife Management 53, 64–71.
40. Servizi J A, Gordon R W, Martens D W (1987): Acute toxicity of Garlon 4 and Roundup herbicides to salmon, *Daphnia* and trout. Bull. Environ. Contam. Toxicol. 39 (1), 15–22.

## **YIELD MYTHS WITH GM CROPS**

1. Gurian-Sherman, D. (2009): Failure to yield: Evaluating the performance of genetically engineered crops. Union of Concerned Scientists.  
[http://www.ucsusa.org/assets/documents/food\\_and\\_agriculture/failure-to-yield.pdf](http://www.ucsusa.org/assets/documents/food_and_agriculture/failure-to-yield.pdf)
2. Kuruganti K (2009): Bt cotton and the myth of enhanced yields. Economic & Political Weekly, Vol. 44 (22)
3. FARSUL. (2009) Divulgados resultados do Programa de Avaliação de Cultivares de Soja (Published results of the Program Evaluation of soybean cultivars). 17/06/2009.  
[http://www.farsul.org.br/pg\\_informes.php?id\\_noticia=870](http://www.farsul.org.br/pg_informes.php?id_noticia=870)
4. Gordon B. (2006): Manganese nutrition of glyphosate resistant and conventional soybeans. Better Crops 91, April. [http://www.ipni.net/ppiweb/bcrops.nsf/....](http://www.ipni.net/ppiweb/bcrops.nsf/)
5. US Department of Agriculture (2002): The adoption of bioengineered crops.  
<http://www.ers.usda.gov/publications/aer810/aer810.pdf>
6. Elmore R.W., Roeth, F.W., Nelson, L.A., Shapiro, C.A., Klein, R.N., Knezevic, S.Z., Martin, A. (2001): Glyphosate-resistant soyabean cultivar yields compared with sister lines. Agronomy Journal 93, 408–412.
7. Benbrook C. (1999): Evidence of the magnitude and consequences of the Roundup Ready soybean yield drag from university-based varietal trials in 1998. Ag BioTech InfoNet Technical Paper No 1, Jul 13.

## **SUPER WEEDS**

1. Herbicide Resistant Weeds Summary Table. July 26, 2010, [www.weedscience.org](http://www.weedscience.org)
2. Waltz, E. 2010. Glyphosate resistance threatens Roundup hegemony. *Nature Biotechnology* 28, 537–538.
3. Benbrook, C.M. (2009): Impacts of genetically engineered crops on pesticide use in the United States: The first thirteen years. The Organic Center, November.
4. [http://www.organic-center.org/reportfiles/13Years20091126\\_FullReport.pdf](http://www.organic-center.org/reportfiles/13Years20091126_FullReport.pdf)
5. Binimelis, R., Pengue, W., Monterroso, I. (2009): Transgenic treadmill: Responses to the emergence and spread of glyphosate-resistant johnsongrass in Argentina. *Geoforum* 40, 623–633.
6. Bindraban, P.S., Franke, A.C., Ferrar, D.O., Ghersa, C.M., Lotz, L.A.P., Nepomuceno, A., Smulders, M.J.M., van de Wiel, C.C.M. (2009): GM-related sustainability: agro-ecological impacts, risks and opportunities of soy production in Argentina and Brazil, Plant Research International, Wageningen UR, Netherlands, Report 259. <http://gmsoydebate.global-connections.nl/sites/gmsoydebate.globalconnections.nl/files/library/2009%20WUR%20Research%20Report%20GM%20Soy.pdf>
7. Knispel A L, McLachlan S M, Van Acker R, Friesen L F. (2008): Gene flow and multiple herbicide resistance in escaped canola populations. *Weed Science* 56, 72–80.
8. Rahman, A., James, T.K., Trolove, M.R. (2008): Chemical control options for the dicamba resistant biotype of fathen (*Chenopodium album*). *New Zealand Plant Protection* 61, 287–291. <http://www.weedscience.org>
9. Vila-Aiub M.M., Vidal A R, Balbi M.C, Gundel P.E, Trucco F, and Ghersa C.M. (2007): Glyphosate-resistant weeds of South American cropping systems: an overview. *Pest Management Science*, 64, 366–371.
10. Vidal A.R, Trezzi M.M, Prado R, Ruiz-Santaella J.P, and Vila-Aiub M. (2007): Glyphosate resistant biotypes of wild poinsettia (*Euphorbia heterophylla* L.) and its risk analysis on glyphosate-tolerant soybeans. *Journal of Food, Agriculture & Environment* 5: 265–269.
11. Sandermann H. (2006): Plant biotechnology: ecological case studies on herbicide resistance. *Trends in Plant Science* 11 (7), 324–328.
12. Owen M D K and Zelaya I A (2005): Herbicide-resistant crops and weed resistance to herbicides. *Pest Manag. Sci.* 61: 301-311.
13. Benbrook C.M. (2005): Rust, resistance, run down soils, and rising costs – Problems facing soybean producers in Argentina. AgBioTech InfoNet, Technical Paper No 8, January.

14. Nandula V.K., Reddy, K., Duke, S. (2005): Glyphosate-resistant weeds: Current status and future outlook. *Outlooks on Pest Management* 16, 183–187.
15. Vitta J I, Tuesca D, Puricelli E. (2004): Widespread use of glyphosate tolerant soybean and weed community richness in Argentina. *Agriculture, Ecosystems & Environment* 103, 3621–624.
16. Branford S. (2004): Argentina's bitter harvest. *New Scientist*, 17 April.
17. Royal Society of Canada. (2001): Elements of precaution: Recommendations for the regulation of food biotechnology in Canada. An expert panel report on the future of food biotechnology prepared by the Royal Society of Canada at the request of Health Canada Canadian Food Inspection Agency and Environment Canada.  
[http://www.rsc.ca/files/publications/expert\\_panels/foodbiotechnology/GMreportEN.pdf](http://www.rsc.ca/files/publications/expert_panels/foodbiotechnology/GMreportEN.pdf)
18. Kilman, S. 2010. Superweed outbreak triggers arms race. *Wall Street Journal*, 4 June. <http://online.wsj.com/article/SB10001424052748704025304575284390777746822.html>
19. Gustin, G. 2010. Roundup's potency slips, foils farmers. *St. Louis Post-Dispatch*, July 25. [http://www.soyatech.com/news\\_story.php?id=19495](http://www.soyatech.com/news_story.php?id=19495)
20. Neuman, W., Pollack, A. 2010. US farmers cope with Roundup-resistant weeds. *New York Times*, May 3. <http://www.nytimes.com/2010/05/04/business/energy-environment/04weed.html?pagewanted=1&hp>
21. Osunsami, S. 2009. Killer pig weeds threaten crops in the South. *ABC World News*, 6 October. <http://abcnews.go.com/WN/pig-weed-threatens-agriculture-industry-overtaking-fields-crops/story?id=8766404&page=1>
22. Caulcutt, C. 2009. "Superweed" explosion threatens Monsanto heartlands. France 24, 19 April. <http://www.france24.com/en/20090418-superweed-explosion-threatens-monsanto-heartlands-genetically-modified-US-crops>
23. Robinson, R. 2008. Resistant ryegrass populations rise in Mississippi. *Delta Farm Press*, Oct 30. <http://deltafarmpress.com/wheat/resistant-ryegrass-1030/>
24. Johnson, B. and Davis, V. 2005. Glyphosate resistant horseweed (marestail) found in 9 more Indiana counties. *Pest & Crop*, May 13.  
<http://extension.entm.purdue.edu/pestcrop/2005/issue8/index.html#marestail>
25. Randerson, J. 2002. Genetically-modified superweeds "not uncommon". *New Scientist*, 05 February. <http://www.newscientist.com/article/dn1882-geneticallymodified-superweeds-not-uncommon.html>

## **AGRI-CHEMICAL USE WITH GM CROPS**

1. Kranthi K R (2010): Bt cotton- A critical appraisal, Annexure to Bt brinjal decision note, Ministry of Environment and Forests, page 180-190,[http://moef.nic.in/downloads/public-information/Annex\\_BT.pdf](http://moef.nic.in/downloads/public-information/Annex_BT.pdf) along with Cotton lessons for Bt brinjal, Telegraph India, [http://www.telegraphindia.com/1100216/jsp/nation/story\\_12110833.jsp](http://www.telegraphindia.com/1100216/jsp/nation/story_12110833.jsp) and [http://www.downtoearth.org.in/dte/userfiles/images/201\\_31072011.jpg](http://www.downtoearth.org.in/dte/userfiles/images/201_31072011.jpg)
2. Benbrook, C.M. (2009): Impacts of genetically engineered crops on pesticide use in the United States: The first thirteen years. The Organic Center, November. [http://www.organic-center.org/reportfiles/13Years20091126\\_FullReport.pdf](http://www.organic-center.org/reportfiles/13Years20091126_FullReport.pdf)
3. Wang, S., Just, D. R. and Pinstrup-Andersen, P. (2006): 'Tarnishing Silver Bullets: Bt Technology Adoption, Bounded Rationality and the Outbreak of Secondary Pest Infestations in China', paper presented at the American Agricultural Economics Association Meeting, Long Beach, California, USA, 22-26 July. ----- (2008) 'Bt Cotton and Secondary Pests', International Journal of Biotechnology 10(2-3): 113-21.
4. Benbrook C.M. (2005): Rust, resistance, run down soils, and rising costs – Problems facing soybean producers in Argentina. AgBioTech InfoNet, Technical Paper No 8, January.
5. Pengue, W. (2003): El glifosato y la dominación del ambiente. Biodiversidad 37, July. <http://www.grain.org/biodiversidad/?id=208>
6. CASAFE (Camara de Sanidad Agropecuaria y Fertilizantes). Statistics. <http://www.casafe.org.ar/mediciondemercado.html>

## **PEST DYNAMICS INCL. RESISTANCE**

1. Gassmann AJ, Petzold-Maxwell JL, Keweshan RS and Dunbar MW (2011): Field evolved resistance to Bt maize by Western Corn Rootworm. PLoS One 6(7): 222629
2. Dhurua S and Gujar GT (2011): Field-evolved resistance to Bt toxin Cry1Ac in the pink bollworm, *Pectinophora gossypiella* (Saunders) (Lepidoptera: Gelechiidae) from India. Pest Management Science. Vol. 67 (8): 898-903.
3. Storer NP, Babcock JM, Schlenz M, Meade T, Thompson GD, Bing JW and Huckaba RM (2010): Discovery and characterization of field resistance to Bt maize: *Spodoptera frugiperda* (Lepidoptera: Noctuidae) in Puerto Rico. J Econ Entomol. 103(4): 1031-8.
4. Downes S, Parker T and Mahon R (2010): Incipient resistance of *Helicoverpa punctigera* to the Cry2Ab Bt toxin in Bollgard II cotton. PLoS One 5(9): e12567.
5. Caccia S, Hernández-Rodríguez CS, Mahon RJ, Downes S, James W, et al. (2010): Binding Site Alteration Is Responsible for Field-Isolated Resistance to *Bacillus thuringiensis* Cry2A Insecticidal Proteins in Two *Helicoverpa* Species. PLoS ONE 5(4): e9975. doi:10.1371/journal.pone.0009975
6. Ranjith MT, Prabhuraj A and Srinivasa YB (2010): Survival and reproduction of natural populations of *Helicoverpa armigera* on Bt-cotton hybrids in Raichur, India. Current Science, Vol. 99 (11).
7. Carriere Y, Crowder DW and Tabashnik BE (2010): Evolutionary ecology of insect adaptation to Bt crops. Evolutionary Applications (Special Issue: Evolution in Agro-Ecosystems) Vol. 3, Issue 5-6: 561-73.
8. Kruger M, Van Rensburg JBJ and Van den Berg J (2009): Perspective on the development of stem borer resistance to Bt maize and refuge compliance at the Vaalharts irrigation scheme in South Africa. Crop Protection 28 (8): 684-9.
9. Tabashnik B E, Gassmann A J, Crowder D W and Carrière Y. (2008): Insect resistance to Bt crops: evidence versus theory. Nature Biotechnology 26: 199-202.
10. Meihs LN, Higdon ML, Siegfried BD, Miller NJ, Sappington TW, Ellersieck MR, Spencer TA and Hibbard BE (2008): Increased survival of western corn rootworm on transgenic corn within three generations of on-plant greenhouse selection. Proc Natl Acad Sci USA 105(49): 19177-82.
11. Deguine J-P, Ferron P and Russell D. (2008): Sustainable pest management for cotton production. A review. Agron. Sustain. Dev. 28 (1): 113–137.
12. Cloutier C, Boudreault S and Michaud D. (2008): Impact of Colorado potato beetle-resistant potatoes on non-target arthropods: a meta-analysis of factors potentially involved in the failure of a Bt transgenic plant. Cahiers Agricultures 17 (4): 388-394.

13. van Rensburg JBJ (2007): First report of field resistance by the stem borer, *Busseola fusca* (Fuller) to Bt transgenic maize. *S. Afr. J. Plant Soil* 24(3): 147-151.
14. Faria CA, Wackers FL, Pritchard J, Barrett DA and Turlings TCJ (2007): High susceptibility of Bt maize to aphids enhances the performance of parasitoids of lepidopteran pests. *PLoS ONE* 2(7): e600. doi:10.1371/journal.pone.0000600
15. Fangneng H, Rogers LB and Xiaoyi W (2007): Resistance of sugarcane borer to *Bacillus thuringiensis* Cry1Ab toxin. *Entomologia Experimentalis et Applicata* 124(1): 117-123.
16. Wang, S., Just, D. R. and Pinstrup-Andersen, P. (2006): 'Tarnishing Silver Bullets: Bt Technology Adoption, Bounded Rationality and the Outbreak of Secondary Pest Infestations in China', paper presented at the American Agricultural Economics Association Meeting, Long Beach, California, USA, 22-26 July. ----- (2008) 'Bt Cotton and Secondary Pests', *International Journal of Biotechnology* 10(2-3): 113-21
17. Catangui M A and Berg R K (2006): Western bean cutworm, *Striacosta albicosta* (Smith) (Lepidoptera: Noctuidae), as a potential pest of transgenic Cry1Ab *Bacillus thuringiensis* corn hybrids in South Dakota. *Environmental Entomology* 35: 1439-1452.
18. Kranthi KR, S. Naidu, C.S. Dhawad, A. Tatwawadi, K. Mate, E. Patil, A.A. Bharose, G.T. Behere, R.M. Wadaskar and S. Kranthi (2005): Temporal and intra-plant variability of Cry1Ac expression in Bt-cotton and its influence on the survival of the cotton bollworm, *Helicoverpa armigera* (Hübner) (Noctuidae: Lepidoptera), *Current Science*, Vol. 89 (2).
19. Lövei G L & Arpaia S (2005): The impact of transgenic plants on natural enemies: a critical review of laboratory studies. *Entomologia Experimentalis et Applicata* 114 (1): 1–14.
20. Men X, Ge F, Edwards C.A. and Yardim E.N. (2005): The influence of pesticide applications on *Helicoverpa armigera* Hübner and sucking pests in transgenic Bt cotton and non-transgenic cotton in China. *Crop Protection* 24 (4): 319–324.
21. Chilcutt C H. and Tabashnik B E. (2004): Contamination of refuges by *Bacillus thuringiensis* toxin genes from transgenic maize. *Proceedings of the National Academy of Sciences* 101:7526-7529.
22. Tabashnik BE, Gould F and Carriere Y (2004): Delaying evolution of insect resistance to transgenic crops by decreasing dominance and heritability. *J Evol Biol.* 17(4): 904-12.
23. Huang, F., L. Buschman and R Higgins (1999): Inheritance of resistance to *Bacillus thuringiensis* toxin (Dipel ES) in the European corn borer. *Science* 284: 965-966.

24. Gould F and Tabashnik B (1998): Bt cotton Resistance Management. In: Mellon M, Rissler J (eds) Now or Never: Serious new plans to save a natural pest control: 67-106.
25. Hilbeck A, Baumgartner M, Fried PM and Bigler F (1998): Effects of transgenic *Bacillus thuringiensis* corn-fed prey on mortality and development time of immature *Chrysoperla carnea* (Neuroptera : Chrysopidae). *Environmental Entomology* 27 (2): 480-487.
26. Gould F (1998): Sustainability of transgenic insecticidal cultivars: integrating pest genetics and ecology. *Annu Rev Entomol.* 43: 701-26.
27. Ferro DN (1993): Potential for resistance to *Bacillus thuringiensis*: Colorado potato beetle (Coleoptera: Chrysomelidae) - a model system. *American Entomologist* 39:38-44.
28. Shelton AM Jr, Robertson JL and Tang JD (1993): Resistance of diamondback moth (Lepidoptera: Plutellidae) to *Bacillus thuringiensis* subspecies in the field. *J. Econ. Entomol.* 86, 697-705.
29. McGaughey WH and Whalon ME (1992): Managing insect resistance to *Bacillus thuringiensis* toxins. *Science* 258: 1451-1455.

## **BIODIVERSITY**

1. Watkinson AR, Freckleton RP, Robinson RA & W J Sutherland (2000): Predictions of biodiversity response to genetically modified herbicide-tolerant crops. *Science* 289:1554-1557.
2. Hilbeck A (2001): Implications of transgenic, insecticidal plants for insect and plant biodiversity. *Perspectives in Plant Ecology, Evolution and Systematics*, 4(1), 43-61.
3. Hawes, C., Haughton, A.J., Osborne, J.L., Roy, D.B., Clark, S.J., Perry, J.N., Rothery, P., Bohan, D.A., Brooks, D.J., Champion, G.T., Dewar, A.M., Heard, M.S., Woiwod, I.P., Daniels, R.E., Yound, M.W., Parish, A.M., Scott, R.J., Firbank, L.G., Squire, G.R. (2003): Responses of plants and invertebrate trophic groups to contrasting herbicide regimes in the farm scale evaluations of genetically modified herbicide-tolerant crops. *Philosophical Transactions of the Royal Society of London B* 358, 1899–1913.
4. Brooks, D.R., Bohan, D.A., Champion, G.T., Haughton, A.J., Hawes, C., Heard, M.S., Clark, S.J., Dewar, A.M., Firbank, L.G., Perry, J.N., Rothery, P., Scott, R.J., Woiwod, I.P., Birchall, C., Skellern, M.P., Walker, J.H., Baker, P., Bell, D., Browne, E.L., Dewar, A.J.D., Fairfax, C.M., Garner, B.H., Haylock, L.A., Horne, S.L., Hulmes, S.E., Mason, N.S., Norton, L.P., Nuttall, P., Randall, Z., Rossall, M.J., Sands, R.J.N., Singer, E.J., Walker, M.J. (2003) Invertebrate responses to the management of genetically modified herbicide-tolerant and conventional spring crops. I. Soil-surface-active invertebrates. *Philosophical Transactions of the Royal Society of London B* 358, 1847–1862.
5. Bohan DA et al (2005): Effects on weed and invertebrate abundance and diversity of herbicide management in genetically modified herbicide-tolerant winter-sown oilseed rape. *Proc. R. Soc. B* Vol. 272 (1562): 463-474.

## **SOIL**

1. Chen Z H, Chen L J, Zhang Y L, Wu Z J. (2011): Microbial properties, enzyme activities and persistence of exogenous proteins in soil under consecutive cultivation of transgenic cottons (*Gossypium hirsutum* L.), *Plant Soil Environ.* 57 (2): 67-74
2. Kremer R.J and Means N.E. (2009): Glyphosate and glyphosate-resistant crop interactions with rhizosphere microorganisms. *European Journal of Agronomy* 31 (3): 153–161.
3. Johal G.S and Huber D.M. (2009): Glyphosate effects on diseases of plants. *Europ. J. Agronomy* 31, 144–152.
4. Fernandez M.R, Zentner R.P, Basnyat P, Gehl D, Selles F and Huber D (2009): Glyphosate associations with cereal diseases caused by *Fusarium* spp. in the Canadian prairies. *Eur. J. Agron.* 31, 133–143.
5. Liu W (2009): Effects of Bt transgenic crops on soil ecosystems: a review of a 10-year research in China. *Front. Agric. China* 3(2): 190-98
6. Höss S, Arndt M, Baumgarte S, Tebbe C.C, Nguyen H.T. and Jehle J.A. (2008): Effects of transgenic corn and Cry1Ab protein on the nematode, *Caenorhabditis elegans*. *Ecotoxicology and Environmental Safety* 70 (2): 334–340.
7. Icoz I. & Stotzky G. (2008): Fate and effects of insect-resistant Bt crops in soil ecosystems. *Soil Biology & Biochemistry* 40: 559–586.
8. Turrini A, Sbrana C and Giovannetti M (2008): Experimental systems to monitor the impact of transgenic corn on keystone soil microorganisms. Paper presented during 16<sup>th</sup> IFOAM World Congress, Modena, Italy, June 16-20, 2008
9. Sarkar B, Patra AK and Purakayastha TJ (2008): Transgenic Bt-Cotton Affects Enzyme Activity and Nutrient Availability in a Sub-Tropical Inceptisol. *J. Agronomy & Crop Science* (2008) ISSN 0931-2250
10. Mulder C, Wouterse M, Rutgers M. & Posthuma L. (2007): Transgenic maize containing the Cry1Ab protein ephemerally enhances soil microbial communities. *Ambio* 36: 359-361.
11. Bruns H.A. & Abel C.A. (2007): Effects of nitrogen fertility on Bt endotoxin levels in corn. *Journal of Entomological Science* 42 (1): 35–34.
12. Fernandez M.R, Zentner R.P, DePauw R.M, Gehl D, Stevenson F.C. (2007): Impacts of crop production factors on common root rot of barley in Eastern Saskatchewan. *Crop Sci.* 47, 1585–1595.
13. Neumann G, Kohls S, Landsberg E, Stock-Oliveira Souza K, Yamada T, Romheld V (2006): Relevance of glyphosate transfer to non-target plants via the rhizosphere.

Journal of Plant Diseases and Protection 20: 963-969.

14. Sun, X, L. J. Chen, Z. J. Wu, L. K. Zhou and H. Shimizu (2006): Soil persistence of *Bacillus thuringiensis* (Bt) toxin from transgenic Bt cotton tissues and its effect on soil enzyme activities. *Biology and Fertility of Soils* 43 (5): 617-620.
15. Gordon B (2006): Manganese nutrition of glyphosate resistant and conventional soybeans. *Better Crops* 91 (4): 12-13.
16. Wei XD, Zou HL, Chu LM, Liao B, Ye CM and Lan CY (2006): Field-released transgenic papaya affects microbial communities and enzyme activities in soil. *J. Environ Sci (China)* 18 (4): 734-40 as well as in *Plant and Soil* Volume 285, Numbers 1-2, 347-358.
17. Mulder C, Wouterse M, Raubuch M, Roelofs W & Rutgers M. (2006): Can transgenic maize affect soil microbial communities? *PLoS Computational Biology* 2 (9): 1165–1172.
18. Castaldini M, Turrini A, Sbrana C, Benedetti A, Marchionni M, Mocali S, Fabiani A, Landi S, Santomassimo F, Pietrangeli B, Nuti MP, Miclaus N and Giovannetti M (2005): Impact of Bt corn on rhizospheric and soil eubacterial communities and on beneficial mycorrhizal symbiosis in experimental microcosms. *Appl Environ Microbiol.* 71(11): 6719-29.
19. Flores S, Saxena D and Stotzky G. (2005): Transgenic Bt plants decompose less in soil than non-Bt plants. *Soil Biology & Biochemistry* 37: 1073–1082.
20. Baumgarte S & Tebbe CC (2005): Field studies on the environmental fate of the Cry1Ab Bt-toxin produced by transgenic maize (MON810) and its effect on bacterial communities in the maize rhizosphere. *Molecular Ecology* 14 (8): 2539 – 2551.
21. Kremer R.J, Means N.E and Kim S. (2005): Glyphosate affects soybean root exudation and rhizosphere microorganisms. *Int. J. of Environmental Analytical Chemistry* 85 (15): 1165-1174.
22. Griffiths B.S, Caul S, Thompson J, Birch A.N.E, Scrimgeour C, Andersen M.N, Cortet J, Messéan A, Sausse C, Lacroix B. & Krogh P.H. (2005): A comparison of soil microbial community structure, protozoa and nematodes in field plots of conventional and genetically modified maize expressing the *Bacillus thuringiensis* CryIAb toxin. *Plant and Soil* 275: 135-146.
23. Saxena D, Stewart C N, Altosaar I, Shu Q & Stotzky G (2004): Larvicidal Cry proteins from *Bacillus thuringiensis* are released in root exudates of transgenic *B. thuringiensis* corn, potato, and rice but not of *B. thuringiensis* canola, cotton, and tobacco. *Plant Physiology & Biochemistry* 42 (5): 383–387.
24. Wei-Xiang Wu (2004): Effect of straws from Bt transgenic rice on selected biological activities in water-flooded soil. *European Journal of Soil Biology* 40 (1): 15-22.

25. Dunfield K E and Germida J J (2004): Impact of genetically modified crops on soil- and plant-associated microbial communities. *J. Environ. Qual.* 33 (3), 806–815.
26. Stotzky G. (2004): Persistence and biological activity in soil of the insecticidal proteins from *Bacillus thuringiensis*, especially from transgenic plants. *Plant and Soil* 266: 77-89.
27. Motavalli P P, Kremer R J, Fang M and Means N E (2004): Impact of genetically modified crops and their management on soil microbially mediated plant nutrient transformations. *J. Environ. Qual.* 33 (3), 816–24.
28. Zwahlen C, Hilbeck A, Howald R and Nentwig W. (2003): Effects of transgenic Bt corn litter on the earthworm *Lumbricus terrestris*. *Molecular Ecology* 12 (8):1077 – 1086.
29. Zwahlen C, Hilbeck A, Gugerli P & Nentwig W. (2003): Degradation of the Cry1Ab protein within transgenic *Bacillus thuringiensis* corn tissue in the field. *Molecular Ecology* 12 (3): 765-775.
30. Sun C, Wu Z, Zhang Y & Zhang L (2003): Effect of transgenic *Bt* rice planting on soil enzyme activities. *Ying Yong Sgeng Tai Xue Bao* 14: 2261-2264.
31. Bruinsma M, Kowalchuk GA and van Veen JA (2003): Effects of genetically modified plants on microbial communities and processes in soil. *Biol. Fertil. Soils* 37: 329-337
32. Reddy K.N. and Zablotowicz R.M. (2003): Glyphosate-resistant soybean response to various salts of glyphosate and glyphosate accumulation in soybean nodules. *Weed Science* 51 (4): 496–502.
33. King CA, Purcell LC and Vories ED. (2001): Plant growth and nitrogenase activity of glyphosate-tolerant soybean in response to foliar glyphosate applications. *Agronomy Journal* 93 (1), 179–186.
34. Sanogo S, Yang, X., Scherm, H. (2000): Effects of herbicides on *Fusarium solani* f. sp. *glycines* and development of sudden death syndrome in glyphosate-tolerant soybean. *Phytopathology* 90: 57–66.
35. University of Missouri. 2000. MU researchers find fungi buildup in glyphosate-treated soybean fields. University of Missouri, 21 December. [www.biotech-info.net/fungi\\_buildup.html](http://www.biotech-info.net/fungi_buildup.html)
36. Saxena D, Flores S and Stozsky G (1999): Insecticidal toxin in root exudates from Bt corn. *Nature* 402: 480.
37. Tapp H and Stozsky G (1998): Persistence of the insecticidal toxin from *Bacillus thuringiensis* subsp *kurstaki* in soil. *Soil Biol. Biochem.* 30 (4): 471-476.

## **GENE FLOW, CONTAMINATION & FIELD TRIALS' RISK**

1. Song X, Liu L, Wang Z and Qiang S (2009): Potential gene flow from transgenic rice (*Oryza sativa* L.) to different weedy rice (*Oryza sativa* f. *spontanea*) accessions based on reproductive compatibility. Pest Management Science. Vol 65 (8): 862-9.
2. Snow A (2009): Unwanted transgenes re-discovered in Oaxacan maize. Molecular Ecology 18: 569-571.
3. Pineyro-Nelson A, Van Heerwaarden J, Perales HR, Serratos-Hernandez JA, Rangel A et al (2009): Transgenes in Mexican maize – Molecular evidence and methodological considerations for GMO detection in landrace populations. Mol Ecology 18: 750-61.
4. D'Hertefeldt T, Jørgensen RB, Pettersson LB. (2008): Long term persistence of GM oilseed rape in the seed bank. Biol Lett. 4 (3): 314-7.
5. Knispel A.L., McLachlan, S.M., Van Acker, R., Friesen, L.F. (2008): Gene flow and multiple herbicide resistance in escaped canola populations. Weed Science 56, 72–80.
6. Warwick S I, Legere A, Simard M J and James T (2008): Do escaped transgenes persist in nature? The case of a herbicide resistance transgene in a weedy *Brassica rapa* population. *Molecular Ecol.* Vol. 17 (5): 1387-95.
7. Heinemann, J.A. (2007): A typology of the effects of (trans)gene flow on the conservation and sustainable use of genetic resources. Commission on Genetic Resources for Food and Agriculture.
8. Zelaya I A, Owen M D K, VanGessel M J (2007): Transfer of glyphosate-resistance: Evidence of hybridisation in *Conyza* (Asteraceae). *Amer. J. Botany* 94: 660-673.
9. Serratos-Hernández J-A, Gómez-Olivares J-L, Salinas-Arreortua N, Buendía-Rodríguez E, Islas-Gutiérrez F and de-Ita A (2007): Transgenic proteins in maize in the Soil Conservation area of Federal District, Mexico. *Frontiers in Ecology and the Environment* 5: 247-252.
10. Simard M J, Legere A and Warwick SI (2006): Transgenic *Brassica napus* fields and *Brassica rapa* weeds in Quebec – sympatry and weed-crop *in situ* hybridization. Canadian Journal of Botany-Revue Canadienne De Botanique 84: 1842-1851.
11. Léger A (2005): Risks and consequences of gene flow from herbicide-resistant crops: canola (*Brassica napus* L) as a case study. Pest Manag. Sci. 61 (3): 292-300.
12. Watrud LS, Lee EH, Fairbrother A, Burdick C, Reichman JR, Bollman M, Storm M, King G and Van de Water PK (2004): Evidence for landscape-level, pollen-mediated gene flow from genetically modified creeping bentgrass with CP4 EPSPS as a marker. PNAS Vol. 101 (40). 14533-14538.

13. Vacher C, Weis AE, Hermann D, Kossler T, Young C and Hochbert ME (2004): Impact of ecological factors on the initial invasion of Bt transgenes into wild populations of birdseed rape (*Brassica rapa*). *Theor Appl Genet* 109 (4): 806-14.
14. Messeguer J., Marfa V., Catala M.M., Guiderdoni E., Melé E.. (2004): A field study of pollen-mediated gene flow from Mediterranean GM rice to conventional rice and the red rice weed. *Molecular Breeding* 13 (1), 103- 112.
15. Poppy GM (2004): Gene flow from GM plants: towards a more quantitative risk assessment. *Trends in Biotechnology* 22 (9): 436-8. Stewart Jr. CN, Halfhill MD and Warwick SI (2003): Transgene introgression from genetically modified crops to their wild relatives. *Nature Reviews Genetics* 4: 806-817.
16. Gealy DR, Mitten DH and Rutger JN (2003): Gene flow between red rice (*Oryza sativa*) and herbicide-resistant rice (*O. sativa*)-Implications for weed management. *Weed Technology* Vol. 17: 627-645.
17. Snow AA (2002): Transgenic crops: why gene flow matters. *Nature Biotechnology* Vol. 20 (6): 542.
18. Rieger MA, Lamond M, Preston C, Powles SB, Roush RT (2002): Pollen-mediated movement of herbicide resistance between commercial canola fields. *Science* 296 (5577): 2386-2388.
19. Eastham, K. & Sweet, J. (2002): Genetically modified organisms (GMOs): the significance of gene flow through pollen transfer. Expert's Corner Series, European Environment Agency, Copenhagen. <http://www.eea.eu.int/>
20. Quist D and Chapela I H (2001): Transgenic DNA introgressed into traditional maize landraces of Oaxaca, Mexico. *Nature* 414: 541-543.
21. Wheeler CC, Gealy D and TeBeest DO (2001): Bar gene transfer from transgenic rice (*Oryza sativa*) to red rice (*Oryza sativa*). *Rice Research:AAES Res. Series* 485: 33-37.
22. Hall L, Topinka K, Huffman J, Davis L and Good A (2000): Pollen flow between herbicide-resistant *Brassica napus* is the cause of multiple-resistant B-napus volunteers. *Weed Science* 48: 688-694.
23. Fisk, M.C., Whittington, J. 2010. *Bayer loses fifth straight trial over US rice crops*. Bloomberg Businessweek, July 14. <http://www.businessweek.com/news/2010-07-14/bayer-loses-fifth-straight-trial-over-u-s-rice-crops.html>
24. Dawson A. (2009): *CDC Triffid flax scare threatens access to no. 1 EU market*. Manitoba Co-operator, September 17. Dawson A. (2009): *Changes likely for flax industry*. Manitoba Cooperator, September 24.
25. Blue E.N. 2007. *Risky business. Economic and regulatory impacts from the unintended release of genetically engineered rice varieties into the rice*

*merchandising system of the US. Greenpeace International.*  
<http://www.greenpeace.org/raw/content/international/press/reports/risky-business.pdf>

26. Schmitz T.G., Schmitz A., Moss C.B. (2005): *The economic impact of StarLink corn.* Agribusiness 21, 391–407.

## **HORIZONTAL GENE TRANSFER**

1. Tudisco R, Infascelli F, Cutrignelli M I, Bovera F, Morcia C, Faccioli P and Terzi V (2006): Fate of feed plant DNA monitored in water buffalo (*Bubalus bubalis*) and rabbit (*Oryctolagus cuniculus*). Livestock Science Vol. 105 (1-3): 12-18.
2. Smets BF and Barkay T (2005): Horizontal gene transfer: perspectives at a crossroads of scientific disciplines. *Nature Reviews Microbiology* 3: 675-678.
3. Woloszynska M, Bocer T, Mackiewicz P and Janska H (2004): A fragment of chloroplast DNA was transferred horizontally, probably from non-eudicots, to mitochondrial genome of Phaseolus. *Plant Mol Biol.* 56 (5): 811-20
4. Daubin V and Ochman H (2004): Quartet mapping and the extent of lateral transfer in bacterial genomes. *Mol Biol Evol* 21 (1): 86-89.
5. Steale RE, Hampson SE, Stover NA, Kibler DF and Bode HR (2004): Probable horizontal transfer between a protist and a cnidarian. *Curr Biol* 14(8): 298-9.
6. Davis CC and Wurdack KJ (2004): Host-to-parasite gene transfer in flowering plants: Phylogenetic evidence from Malpighiales. *Science* 305: 676-78.
7. Sharma R, Alexander TW, John SJ, Forster RJ and McAllister TA (2004): Relative stability of transgene DNA fragments from GM rapeseed in mixed ruminal cultures. *British Journal of Nutrition* 91 (5): 673-681.
8. Duggan PA, Chambers PA, Heritage J and Forbes JM (2003): Fate of genetically modified maize DNA in the oral cavity and rumen of sheep. *British Journal of Nutrition* 89: 159-66.
9. Koonin EV (2003): Horizontal gene transfer: the path to maturity. *Molecular Microbiology* 50 (3): 725-27.
10. Kay E, Vogel TM, Bertolla F, Nalin R and Simonet P (2002): In situ transfer of antibiotic resistance genes from transgenic (transplastomic) tobacco plants to bacteria. *Applied and Environmental Microbiology* 68 (7): 3345-3351.
11. Coghlan A (2002): Does it matter if genes can jump from GM food to bugs in human gut? *New Scientist* 2353, 27<sup>th</sup> July 2002, p. 6.

12. Kunik T, Tzfira T, Kapulnik Y, Gafni Y, Dingwall C and Citovsky V (2001): Genetic transformation of HeLa cells by Agrobacterium. Proc Natl Acad Sci USA 98 (4): 1871-6.
13. Mercer DK, Scott KP, Melville CM, Glover LA and Flint HJ (2001): Transformation of an oral bacterium via chromosomal integration of free DNA in the presence of human saliva. FEMS Microbiol Lett. 200 (2): 163-7.
14. Duggan PS, Chambers PA, Heritage J and Forbes JM (2000): Survival of free DNA encoding antibiotic resistance from transgenic maize and the transformation activity of DNA in ovine saliva, ovine rumen fluid and silage effluent. FEMS Microbiology Letters 191: 71-77.
15. Mercer DK, Scott KP, Bruce-Johnson WA, Glover LA and Flint HJ (1999): Fate of free DNA and transformation of the oral bacterium *Streptococcus gordonii* DL1 by plasmid DNA in human saliva. Applied and Environmental Microbiology 65 (1): 6-10.
16. Gebhard F and Smalla K (1999): Monitoring field releases of genetically modified sugar beets for persistence of transgenic plant DNA and horizontal gene transfer. FEMS Microbiology Ecology 28 (3): 261-72.
17. Grillot-Courvalin C, Goussand S, Huettz F, Ojcius DM and Courvalin P (1998): Functional gene transfer from intracellular bacteria to mammalian cells. Nature Biotech 16: 862-66.
18. Nielsen KM, Bones AM, Smalla K and van Elsas JD (1998): Horizontal gene transfer from transgenic plants to terrestrial bacteria – a rare event? FEMS Microbiology Reviews 22: 79-103.
19. Ho M W, Traavik T, Olsvik O, Tappeser B, Howard CV, Weizsacker Cv, McGavin GC (1998): Gene technology and gene ecology of infectious diseases. Microbial Ecology in Health and Disease 10: 33-59.
20. Doerfler W and Schubbert R. (1998): Uptake of foreign DNA from the environment: the gastrointestinal tract and the placenta as portals of entry, Wien Klin Wochenschr. 110, 40-44
21. Schubbert, R., Rentz, D., Schmitz, B. and Doerfler, W. (1997): Foreign (M13 DNA ingested by mice reaches peripheral leukocytes, spleen and liver via the intestinal wall mucosa and can be covalently linked to mouse DNA. Proc. Nat. Acad. Sci. 94, 961-6.

## **OTHER RELATED PAPERS (Safety Assessment, Ethics, Corporate Monopolies, Farmer de-skilling etc.)**

1. Domingo J L and Bordonaba JG (2011): A literature review on the safety assessment of genetically modified plants. Environment International 37. 734-42.
2. Diels J, Cunha M, Manaia C, Sabugosa-Madeira B and Silva M (2011): Association of financial or professional conflict of interest to research outcomes on health risks or nutritional assessment studies of genetically modified products. Food Policy 36: 197-203.
3. Seralini G-E, Mesnage R, Clair E, Gress S, de Vendômois JS and Cellier D (2011): Genetically modified crops safety assessments: present limits and possible improvements. Environmental Sciences Europe 2011, 23:10
4. Seetharam S (2010): Should the Bt brinjal controversy concern healthcare professionals and bio-ethicists?. Indian J Med Ethics. Jan-Mar 7 (1).
5. Gillam, C. (2010) West Virginia investigating Monsanto for consumer fraud. Reuters, June 25. <http://www.reuters.com/article/idUSN2515475920100625> explosion-threatens-monsanto-heartlands-genetically-modified-US-crops
6. García, L. (2010): Argentina wins Monsanto GM patent dispute in Europe. SciDev.net, July 21. <http://www.scidev.net/en/news/argentina-wins-monsanto-gm-patent-dispute-in-europe.html> along with GRAIN (2004) Monsanto's royalty grab in Argentina. October. <http://www.grain.org/articles/?id=4> and Nellen-Stucky, R., Meienberg, F. (2006) Harvesting royalties for sowing dissent? Monsanto's campaign against Argentina's patent policy. GRAIN, October.  
<http://www.grain.org/research/contamination.cfm?id=379>
7. Glover, D. (2009) Undying Promise: Agricultural Biotechnology's Pro-poor Narrative, Ten Years on, STEPS Working Paper 15, Brighton: STEPS Centre
8. Do seed companies control GM crop research? Editorial, Scientific American, August (2009) <http://www.scientificamerican.com/article.cfm?id=do-seed-companies-control-gm-crop-research>
9. Waltz, E. (2009): Biotech proponents aggressively attack independent research papers: GM crops: Battlefield. Nature 461, 27–32.
10. Binimelis R (2008): Coexistence of plants and coexistence of farmers: is an individual choice possible? Journal of Agricultural and Environmental Ethics. DOI 10.1007/s10806-008-9099-4
11. Beintema, N. et al. (2008): International Assessment of Agricultural Knowledge, Science and Technology for Development: Global Summary for Decision Makers (IAASTD).  
<http://www.agassessment.org/index.cfm?Page=IAASTD%20Reports&ItemID=2713>

12. Stone GD (2007): Agricultural deskilling and the spread of genetically modified cotton in Warangal. Current Anthropology. Vol. 48 (1): 67-103.
13. Pengue, W. (2005): Transgenic crops in Argentina: the ecological and social debt. Bulletin of Science, Technology and Society 25: 314-322.
14. Freese W and Schubert D (2004): Safety testing and regulation of Genetically Engineered foods. Biotechnology and Genetic Engineering Reviews. Vol 21.

### **SOME UNPUBLISHED BUT IMPORTANT PAPERS**

1. Seralini, G-E (2009): Effects on health and environment of transgenic (or GM) Bt brinjal: [www.criigen.org/SiteFr//images/stories/Dossiers/Divers/btbrinjal-ges\\_%25200109.pdf](http://www.criigen.org/SiteFr//images/stories/Dossiers/Divers/btbrinjal-ges_%25200109.pdf)
2. Gallagher L (2010): Bt brinjal Event EE1 – The scope and adequacy of the GEAC toxicological risk assessment.  
[www.testbiotech.de/sites/default/files/Report%20Gallagher\\_2011.pdf](http://www.testbiotech.de/sites/default/files/Report%20Gallagher_2011.pdf)
3. Andow, D (2010): Bt Brinjal – the scope and adequacy of the GEAC environmental risk assessment. [www.indiaenvironmentportal.org.in/files/Bt\\_Brinjal.pdf](http://www.indiaenvironmentportal.org.in/files/Bt_Brinjal.pdf)
4. Ramdas, S (2010): Science adulterated. Combat Law. 25 March 2010.  
<http://www.combatlaw.org/?p=258>